

Rotary Isolator Range Datasheet

GR320, GR325, GR332, GR340, GR363, GR380, GR3100 - 3 AC Pole Rotary Isolator
 GR420, GR425, GR432, GR440, GR463, GR480, GR4100 - 4 AC Pole Rotary Isolator

Construction and Features


- Enclosed Rotary Isolators
- Constructed from tough flame retardant material
- Suitable for internal and external applications
- Fitted with several 22mm Gland Knock Outs
- Padlockable Handle




Technical Data

- AC-21A 20-100A 440V
- AC-22A 20-100A 440V
- Electrical Durability: 5E4
- Degree of Protection IP65
- Rated Conditional Short Circuit Current 6KA
- Conforms to BS/EN 60947-3

Wiring Diagram




3-pole



4-pole

Overall & Installation Dimensions



Part No.	Description	Dimensions A B C D
3 Pole		
GR320	3 pole 20A	100 x 125 x 85 x 35
GR325	3 pole 25A	100 x 125 x 85 x 35
GR332	3 pole 32A	100 x 175 x 85 x 35
GR340	3 pole 40A	114 x 175 x 100 x 35
GR363	3 pole 63A	114 x 175 x 100 x 35
GR380	3 pole 80A	160 x 240 x 100 x 35
GR3100	3 pole 100A	160 x 240 x 100 x 35
4 Pole		
GR420	4 pole 20A	100 x 125 x 85 x 35
GR425	4 pole 25A	100 x 125 x 85 x 35
GR432	4 pole 32A	100 x 125 x 85 x 35
GR440	4 pole 40A	114 x 175 x 100 x 35
GR463	4 pole 63A	114 x 175 x 100 x 35
GR480	4 pole 80A	160 x 240 x 100 x 35
GR4100	4 pole 100A	160 x 240 x 100 x 35